

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Baby Powder Candle

Product code: 4518565

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener candle

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

ECHOES MUM VE KOKU TASARIM PAZARLAMA VE SAN. A.Ş

FERİKÖY FIRIN SOKAK NO: 69 KAT: 4 34360

BOMONTI / ŞİŞLİ - İSTANBUL

T + 90 212 231 41 54

info@candlelab.com.tr - www.candlelab.com.tr

1.4 Emergency telephone number: 114 - Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzıssıhha Merkezi Başkanlığı

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Warning





Hazard statements:

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Precautionary statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 4-tert-butylcyclohexyl acetate, Benzyl salicylate, Caryophyllene, CITRUS AURANTIUM DULCIS OIL, Citronellol, Coumarin, Geraniol, Hexyl cinnam-aldehyde, Linalool, Linalyl acetate, Nerol.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 Page 1/21



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture based on aromatising substances and preparations.

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 1222-05-5 EC: 214-946-9 Index: 603-212-00-7 REACH:01-2119488227-29- XXXX	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ⁽⁻⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	25 - <50 %
CAS: 60-12-8 EC: 200-456-2 Index: Non-applicable REACH:01-2119963921-31- XXXX	Z-phenylethanol ⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Eye Irrit. 2: H319 - Warning	5 - <20 %
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH:01-2119474016-42- XXXX	Linalool ⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning (1)	5 - <20 %
CAS: 1335-46-2 EC: 215-635-0 Index: Non-applicable REACH:01-2119471851-35- XXXX	Consider the content of the conten	2,5 - <10 %
CAS: 32210-23-4 EC: 250-954-9 Index: Non-applicable REACH:01-2119976286-24- XXXX	4-tert-butylcyclohexyl acetate ⁽¹⁾ Regulation 1272/2008 Skin Sens. 1B: H317 - Warning (1)	2,5 - <10 %
CAS: 63500-71-0 EC: 405-040-6 Index: 603-101-00-3 REACH:01-2119455547-30- XXXX	Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) ⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319 - Warning (1)	2,5 - <10 %
CAS: 118-58-1 EC: 204-262-9 Index: 607-754-00-5 REACH:01-2119969442-31- XXXX	Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	2,5 - <10 %
CAS: 106-22-9 EC: 203-375-0 Index: Non-applicable REACH:01-2119453995-23- XXXX	Citronellol ⁽⁻⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning (1)	2,5 - <10 %
CAS: 8050-15-5 EC: 232-476-2 Index: Non-applicable REACH:01-2119969275-26- XXXX	Resin acids and Rosin acids, hydrogenated, Me esters ⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 3: H412	2,5 - <10 %
CAS: 106-24-1 EC: 203-377-1 Index: 603-241-00-5 REACH:01-2119552430-49- XXXX	Geraniol ⁽¹⁾ Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger (1) 40	2,5 - <10 %
CAS: 54464-57-2 EC: 259-174-3 Index: Non-applicable REACH:Non-applicable	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	2,5 - <10 %
CAS: 3407-42-9 EC: 222-294-1 Index: Non-applicable REACH:01-2119979583-21- XXXX	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol ⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319 - Warning	2,5 - <10 %
CAS: 140-11-4 EC: 205-399-7 Index: Non-applicable REACH:01-2119638272-42- XXXX	Benzyl acetate ⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 3: H412	2,5 - <10 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 **Page 2/21**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification	Concentration
CAS: 106-25-2 EC: 203-378-7 Index: Non-applicable REACH:01-2119983244-33- XXXX	Nerol ^(*) Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1 - <2,5 %
CAS: 1506-02-1 EC: 216-133-4 Index: Non-applicable REACH:01-2119539433-40- XXXX	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one ⁽⁻⁾ Regulation 1272/2008	1 - <2,5 %
CAS: 91-64-5 EC: 202-086-7 Index: Non-applicable REACH:01-2119943756-26- XXXX	Coumarin ⁽⁻⁾ Regulation 1272/2008 Acute Tox. 3: H301+H311+H331; Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Danger	1 - <2,5 %
CAS: 81-14-1 EC: 201-328-9 Index: 609-069-00-7 REACH:01-2120766629-37- XXXX	musk ketone ⁽⁻⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Carc. 2: H351 - Warning	1 - <2,5 %
CAS: 101-86-0 EC: 202-983-3 Index: Non-applicable REACH:Non-applicable	Hexyl cinnam-aldehyde ⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning (!)	1 - <2,5 %
CAS: 87-44-5 EC: 201-746-1 Index: Non-applicable REACH:01-2120745237-53- XXXX	Caryophyllene ⁽¹⁾ Regulation 1272/2008 Asp. Tox. 1: H304; Skin Sens. 1B: H317 - Danger (1) 4	1 - <2,5 %
CAS: 115-95-7 EC: 204-116-4 Index: Non-applicable REACH:01-2119454789-19- XXXX	Linalyl acetate (1) Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1 - <2,5 %
CAS: 120-51-4 EC: 204-402-9 Index: 607-085-00-9 REACH:01-2119976371-33- XXXX	Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Chronic 2: H411 - Warning	1 - <2,5 %
CAS: 8008-57-9 EC: 616-926-9 Index: Non-applicable REACH:01-2120060289-52- XXXX	CITRUS AURANTIUM DULCIS OIL ⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

Bv skin contact

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 Page 3/21



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 4: FIRST AID MEASURES (continued)

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/FC

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 7: HANDLING AND STORAGE (continued)

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	36,7 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	13,5 mg/m³	Non-applicable
2-phenylethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 60-12-8	Dermal	Non-applicable	Non-applicable	21,2 mg/kg	Non-applicable
EC: 200-456-2	Inhalation	Non-applicable	Non-applicable	59,9 mg/m³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	3,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	24,58 mg/m³	Non-applicable
Ionone, methyl-	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1335-46-2	Dermal	Non-applicable	Non-applicable	14,8 mg/kg	Non-applicable
EC: 215-635-0	Inhalation	Non-applicable	Non-applicable	26,1 mg/m³	Non-applicable
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 63500-71-0	Dermal	Non-applicable	Non-applicable	41,7 mg/kg	Non-applicable
EC: 405-040-6	Inhalation	Non-applicable	Non-applicable	44,1 mg/m³	Non-applicable



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 8: EXPOSURE CONTROL S/PERSONAL PROTECTION (continued)

		Short e	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Benzyl salicylate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 118-58-1	Dermal	Non-applicable	Non-applicable	2,21 mg/kg	Non-applicable	
EC: 204-262-9	Inhalation	Non-applicable	Non-applicable	7,8 mg/m³	Non-applicable	
Citronellol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 106-22-9	Dermal	Non-applicable	Non-applicable	327,4 mg/kg	Non-applicable	
EC: 203-375-0	Inhalation	Non-applicable	10 mg/m³	161,6 mg/m³	10 mg/m³	
Resin acids and Rosin acids, hydrogenated, Me esters	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 8050-15-5	Dermal	Non-applicable	Non-applicable	7,77 mg/kg	Non-applicable	
EC: 232-476-2	Inhalation	Non-applicable	Non-applicable	Non-applicable	10 mg/m³	
Geraniol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 106-24-1	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable	
EC: 203-377-1	Inhalation	Non-applicable	Non-applicable	161,6 mg/m³	Non-applicable	
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 3407-42-9	Dermal	Non-applicable	Non-applicable	3,75 mg/kg	Non-applicable	
EC: 222-294-1	Inhalation	Non-applicable	Non-applicable	13,2 mg/m³	Non-applicable	
Benzyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 140-11-4	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable	
EC: 205-399-7	Inhalation	Non-applicable	Non-applicable	9 mg/m³	Non-applicable	
Nerol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 106-25-2	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable	
EC: 203-378-7	Inhalation	Non-applicable	Non-applicable	4,4 mg/m³	Non-applicable	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2- naphthyl)ethan-1-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1506-02-1	Dermal	Non-applicable	Non-applicable	0,61 mg/kg	Non-applicable	
EC: 216-133-4	Inhalation	0,525 mg/m ³	Non-applicable	0,175 mg/m ³	Non-applicable	
Coumarin	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 91-64-5	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable	
EC: 202-086-7	Inhalation	Non-applicable	Non-applicable	6,78 mg/m ³	Non-applicable	
musk ketone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 81-14-1	Dermal	Non-applicable	Non-applicable	0,563 mg/kg	Non-applicable	
EC: 201-328-9	Inhalation	Non-applicable	Non-applicable	0,247 mg/m ³	Non-applicable	
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable	
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m³	Non-applicable	
Benzyl benzoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable	
EC: 204-402-9	Inhalation	102 mg/m³	Non-applicable	5,1 mg/m³	Non-applicable	

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Non-applicable	Non-applicable	2,3 mg/kg	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	22 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	4 mg/m³	Non-applicable
2-phenylethanol	Oral	5,1 mg/kg	Non-applicable	5,1 mg/kg	Non-applicable
CAS: 60-12-8	Dermal	Non-applicable	Non-applicable	12,7 mg/kg	Non-applicable
EC: 200-456-2	Inhalation	Non-applicable	Non-applicable	17,7 mg/m³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	2,49 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	4,33 mg/m³	Non-applicable

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

ſ		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Ionone, methyl-	Oral	Non-applicable	Non-applicable	3,7 mg/kg	Non-applicable
CAS: 1335-46-2	Dermal	Non-applicable	Non-applicable	7,4 mg/kg	Non-applicable
EC: 215-635-0	Inhalation	Non-applicable	Non-applicable	6,4 mg/m³	Non-applicable
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Oral	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
CAS: 63500-71-0	Dermal	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
EC: 405-040-6	Inhalation	Non-applicable	Non-applicable	13 mg/m³	Non-applicable
Benzyl salicylate	Oral	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
CAS: 118-58-1	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
EC: 204-262-9	Inhalation	Non-applicable	Non-applicable	1,37 mg/m³	Non-applicable
Citronellol	Oral	Non-applicable	Non-applicable	13,8 mg/kg	Non-applicable
CAS: 106-22-9	Dermal	Non-applicable	Non-applicable	196,4 mg/kg	Non-applicable
EC: 203-375-0	Inhalation	Non-applicable	10 mg/m³	47,8 mg/m³	10 mg/m³
Resin acids and Rosin acids, hydrogenated, Me esters	Oral	Non-applicable	Non-applicable	3,885 mg/kg	Non-applicable
CAS: 8050-15-5	Dermal	Non-applicable	Non-applicable	3,885 mg/kg	Non-applicable
EC: 232-476-2	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable
Geraniol	Oral	Non-applicable	Non-applicable	13,75 mg/kg	Non-applicable
CAS: 106-24-1	Dermal	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
EC: 203-377-1	Inhalation	Non-applicable	Non-applicable	47,8 mg/m³	Non-applicable
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Oral	Non-applicable	Non-applicable	1,88 mg/kg	Non-applicable
CAS: 3407-42-9	Dermal	Non-applicable	Non-applicable	1,88 mg/kg	Non-applicable
EC: 222-294-1	Inhalation	Non-applicable	Non-applicable	3,26 mg/m³	Non-applicable
Benzyl acetate	Oral	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
CAS: 140-11-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 205-399-7	Inhalation	Non-applicable	Non-applicable	2,2 mg/m³	Non-applicable
Nerol	Oral	Non-applicable	Non-applicable	0,62 mg/kg	Non-applicable
CAS: 106-25-2	Dermal	Non-applicable	Non-applicable	0,62 mg/kg	Non-applicable
EC: 203-378-7	Inhalation	Non-applicable	Non-applicable	1,09 mg/m³	Non-applicable
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2- naphthyl)ethan-1-one	Oral	1,2 mg/kg	Non-applicable	0,013 mg/kg	Non-applicable
CAS: 1506-02-1	Dermal	Non-applicable	Non-applicable	0,305 mg/kg	Non-applicable
EC: 216-133-4	Inhalation	0,131 mg/m³	Non-applicable	0,043 mg/m ³	Non-applicable
Coumarin	Oral	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
CAS: 91-64-5	Dermal	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
EC: 202-086-7	Inhalation	Non-applicable	Non-applicable	1,69 mg/m³	Non-applicable
musk ketone	Oral	Non-applicable	Non-applicable	0,025 mg/kg	Non-applicable
CAS: 81-14-1	Dermal	Non-applicable	Non-applicable	0,067 mg/kg	Non-applicable
EC: 201-328-9	Inhalation	Non-applicable	Non-applicable	0,0435 mg/m³	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m³	Non-applicable
Benzyl benzoate	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	25 mg/m³	Non-applicable	1,25 mg/m³	Non-applicable

PNEC:

Identification				
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Non-applicable	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2-phenylethanol	STP	10 mg/L	Fresh water	0,215 mg/L
CAS: 60-12-8	Soil	0,164 mg/kg	Marine water	0,021 mg/L
EC: 200-456-2	Intermittent	2,15 mg/L	Sediment (Fresh water)	1,454 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,145 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
onone, methyl-	STP	10 mg/L	Fresh water	0,002 mg/L
CAS: 1335-46-2	Soil	0,048 mg/kg	Marine water	0 mg/L
EC: 215-635-0	Intermittent	0,023 mg/L	Sediment (Fresh water)	0,246 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,025 mg/kg
l-tert-butylcyclohexyl acetate	STP	12,2 mg/L	Fresh water	0,0053 mg/L
CAS: 32210-23-4	Soil	0,42 mg/kg	Marine water	0,00053 mg/L
EC: 250-954-9	Intermittent	0,053 mg/L	Sediment (Fresh water)	2,01 mg/kg
	Oral	0,06667 g/kg	Sediment (Marine water)	0,21 mg/kg
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	STP	10 mg/L	Fresh water	0,094 mg/L
CAS: 63500-71-0	Soil	0,09 mg/kg	Marine water	0,009 mg/L
EC: 405-040-6	Intermittent	0,94 mg/L	Sediment (Fresh water)	0,412 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,041 mg/kg
Benzyl salicylate	STP	10 mg/L	Fresh water	0,001 mg/L
CAS: 118-58-1	Soil	1,41 mg/kg	Marine water	0 mg/L
EC: 204-262-9	Intermittent	0,01 mg/L	Sediment (Fresh water)	0,583 mg/kg
	Oral	0,0527 g/kg	Sediment (Marine water)	0,058 mg/kg
Ditronellol	STP	580 mg/L	Fresh water	0,002 mg/L
CAS: 106-22-9	Soil	0,004 mg/kg	Marine water	0 mg/L
EC: 203-375-0	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg
Resin acids and Rosin acids, hydrogenated, Me esters	STP	1,26 mg/L	Fresh water	0,027 mg/L
CAS: 8050-15-5	Soil	15,35 mg/kg	Marine water	0,003 mg/L
EC: 232-476-2	Intermittent	0,27 mg/L	Sediment (Fresh water)	77,05 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	7,7 mg/kg
Geraniol	STP	0,7 mg/L	Fresh water	0,011 mg/L
CAS: 106-24-1	Soil	0,017 mg/kg	Marine water	0,001 mg/L
EC: 203-377-1	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,011 mg/kg
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	STP	0,1 mg/L	Fresh water	0,00296 mg/L
CAS: 3407-42-9	Soil	0,0128 mg/kg	Marine water	0,000296 mg/L
EC: 222-294-1	Intermittent	0,0259 mg/L	Sediment (Fresh water)	0,0725 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00725 mg/kg
Benzyl acetate	STP	8,55 mg/L	Fresh water	0,018 mg/L
CAS: 140-11-4	Soil	0,094 mg/kg	Marine water	0,002 mg/L
EC: 205-399-7	Intermittent	0,04 mg/L	Sediment (Fresh water)	0,526 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,053 mg/kg
Nerol	STP	12,9 mg/L	Fresh water	0,00745 mg/L
CAS: 106-25-2	Soil	0,0223 mg/kg	Marine water	0,00745 mg/L
EC: 203-378-7	Intermittent	0,0745 mg/L	Sediment (Fresh water)	0,133 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0133 mg/kg

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 **Page 8/21**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	STP	2,2 mg/L	Fresh water	0,0022 mg/L
CAS: 1506-02-1	Soil	0,01 mg/kg	Marine water	0,00022 mg/L
EC: 216-133-4	Intermittent	0,0061 mg/L	Sediment (Fresh water)	1,72 mg/kg
	Oral	0,0011 g/kg	Sediment (Marine water)	0,345 mg/kg
Coumarin	STP	6,4 mg/L	Fresh water	0,019 mg/L
CAS: 91-64-5	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
EC: 202-086-7	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
musk ketone	STP	10 mg/L	Fresh water	0,000244 mg/L
CAS: 81-14-1	Soil	0,0122 mg/kg	Marine water	0,0000244 mg/L
EC: 201-328-9	Intermittent	0,00244 mg/L	Sediment (Fresh water)	0,0618 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00618 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
Benzyl benzoate	STP	100 mg/L	Fresh water	0,017 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,002 mg/L
EC: 204-402-9	Intermittent	Non-applicable	Sediment (Fresh water)	10,66 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,07 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F - Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 12,5 % weight V.O.C. density at 20 °C: Non-applicable

Average carbon number: 9,8

Average molecular weight: 153,48 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid

Appearance: Not available

Colour: Colorless - Light yellow

Odour: Not available
Odour threshold: Non-applicable *

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Vapour pressure at 50 °C:

Evaporation rate at 20 °C:

Non-applicable *

Non-applicable *

Product description:

Density at 20 °C: Non-applicable * 0,97 - 0,98 Relative density at 20 °C: Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: Non-applicable * Vapour density at 20 °C: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 **Page 10/21**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Partition coefficient n-octanol/water 20 °C:

Non-applicable *

Non-applicable *

Non-applicable *

Completely miscible

Decomposition temperature:

Melting point/freezing point:

Non-applicable *

Flammability:

Flash Point: >100 °C

Flammability (solid, gas): Non-applicable *

Autoignition temperature: 235 °C

Lower flammability limit:

Upper flammability limit:

Non-applicable *

Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Non-applicable *

Non-applicable *

Non-applicable *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable *

*Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with carcinogenic effects. For more information see section 3.

 IARC: Coumarin (3); Benzyl acetate (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	Genus	
2-phenylethanol	LD50 oral	1610 mg/kg	Rat
CAS: 60-12-8	LD50 dermal	2100 mg/kg	Rabbit
EC: 200-456-2	LC50 inhalation	Non-applicable	
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation	Non-applicable	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	A	cute toxicity	Genus
Benzyl salicylate	LD50 oral	2200 mg/kg	Rat
CAS: 118-58-1	LD50 dermal	14150 mg/kg	Rabbit
EC: 204-262-9	LC50 inhalation	Non-applicable	
Citronellol	LD50 oral	3450 mg/kg	Rat
CAS: 106-22-9	LD50 dermal	2650 mg/kg	
EC: 203-375-0	LC50 inhalation	Non-applicable	
Geraniol	LD50 oral	4200 mg/kg	Rat
CAS: 106-24-1	LD50 dermal	5100 mg/kg	Rabbit
EC: 203-377-1	LC50 inhalation	Non-applicable	
I-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	LD50 oral	920 mg/kg	Rat
CAS: 1506-02-1	LD50 dermal	7940 mg/kg	Rabbit
EC: 216-133-4	LC50 inhalation	Non-applicable	
Coumarin	LD50 oral	293 mg/kg	Rat
CAS: 91-64-5	LD50 dermal	293 mg/kg	Rat
EC: 202-086-7	LC50 inhalation	3 mg/L (ATEi)	
Hexyl cinnam-aldehyde	LD50 oral	3100 mg/kg	Rat
CAS: 101-86-0	LD50 dermal	3000 mg/kg	Rabbit
EC: 202-983-3	LC50 inhalation	Non-applicable	
inalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	Non-applicable	
Benzyl benzoate	LD50 oral	1500 mg/kg	Rat
CAS: 120-51-4	LD50 dermal	>5000 mg/kg	Rabbit
EC: 204-402-9	LC50 inhalation	Non-applicable	
4-tert-butylcyclohexyl acetate	LD50 oral	3370 mg/kg	
CAS: 32210-23-4	LD50 dermal	Non-applicable	
EC: 250-954-9	LC50 inhalation	Non-applicable	
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	LD50 oral	>5000 mg/kg	Rat
CAS: 3407-42-9	LD50 dermal	Non-applicable	
EC: 222-294-1	LC50 inhalation	Non-applicable	
Caryophyllene	LD50 oral	>5000 mg/kg	Rat
CAS: 87-44-5	LD50 dermal	Non-applicable	
EC: 201-746-1	LC50 inhalation	Non-applicable	
Benzyl acetate	LD50 oral	2490 mg/kg	Rat
CAS: 140-11-4	LD50 dermal	Non-applicable	
EC: 205-399-7	LC50 inhalation	Non-applicable	
Nerol	LD50 oral	>5000 mg/kg	Rat
CAS: 106-25-2	LD50 dermal	Non-applicable	
EC: 203-378-7	LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish	
CAS: 1222-05-5	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 214-946-9	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae	
2-phenylethanol	LC50	Non-applicable			
CAS: 60-12-8	EC50	330 mg/L (24 h)	Daphnia magna	Crustacean	
EC: 200-456-2	EC50	490 mg/L (72 h)	Scenedesmus subspicatus	Algae	
lonone, methyl-	LC50	>1 - 10 (96 h)		Fish	
CAS: 1335-46-2	EC50	>1 - 10 (48 h)		Crustacean	
EC: 215-635-0	EC50	>1 - 10 (72 h)		Algae	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	LC50	Non-applicable			
CAS: 63500-71-0	EC50	320 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 405-040-6	EC50	Non-applicable			
Benzyl salicylate	LC50	1,03 mg/L (96 h)	Brachydanio rerio	Fish	
CAS: 118-58-1	EC50	1,2 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 204-262-9	EC50	1,3 mg/L (72 h)	Selenastrum capricornutum	Algae	
Resin acids and Rosin acids, hydrogenated, Me esters	LC50	>10 - 100 (96 h)		Fish	
CAS: 8050-15-5	EC50	>10 - 100 (48 h)		Crustacean	
EC: 232-476-2	EC50	>10 - 100 (72 h)		Algae	
$\hbox{$1$-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)$ethan-1-one}\\$	LC50	>0.1 - 1 (96 h)		Fish	
CAS: 54464-57-2	EC50	>0.1 - 1 (48 h)		Crustacean	
EC: 259-174-3	EC50	>0.1 - 1 (72 h)		Algae	
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	LC50	17,6 mg/L (96 h)	Danio rerio	Fish	
CAS: 3407-42-9	EC50	2,59 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 222-294-1	EC50	47 mg/L (72 h)	Desmodesmus subspicatus	Algae	
Benzyl acetate	LC50	Non-applicable			
CAS: 140-11-4	EC50	17 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 205-399-7	EC50	110 mg/L (72 h)	Desmodesmus subspicatus	Algae	
Nerol	LC50	20 mg/L (96 h)	Danio rerio	Fish	
CAS: 106-25-2	EC50	32 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 203-378-7	EC50	10 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae	

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 **Page 14/21**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	LC50	>0.1 - 1 (96 h)		Fish
CAS: 1506-02-1	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 216-133-4	EC50	>0.1 - 1 (72 h)		Algae
Coumarin	LC50	1,3 mg/L (96 h)	QSAR	Fish
CAS: 91-64-5	EC50	8 mg/L (48 h)	QSAR	Fish
EC: 202-086-7	EC50	1,4 mg/L (96 h)	QSAR	Fish
musk ketone	LC50	>0.1 - 1 (96 h)		Fish
CAS: 81-14-1	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 201-328-9	EC50	>0.1 - 1 (72 h)		Algae
Hexyl cinnam-aldehyde	LC50	>0.1 - 1 (96 h)		Fish
CAS: 101-86-0	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 202-983-3	EC50	>0.1 - 1 (72 h)		Algae
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Benzyl benzoate	LC50	>1 - 10 (96 h)		Fish
CAS: 120-51-4	EC50	>1 - 10 (48 h)		Crustacean
EC: 204-402-9	EC50	>1 - 10 (72 h)		Algae
CITRUS AURANTIUM DULCIS OIL	LC50	>0.1 - 1 (96 h)		Fish
CAS: 8008-57-9	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 616-926-9	EC50	>0.1 - 1 (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	NOEC	0,14 mg/L	N/A	Fish
CAS: 3407-42-9 EC: 222-294-1	NOEC	Non-applicable		
Benzyl acetate	NOEC	0,92 mg/L	Oryzias latipes	Fish
CAS: 140-11-4 EC: 205-399-7	NOEC	Non-applicable		

12.2 Persistence and degradability:

Identification	Degradability		Biodegradabi	lity
2-phenylethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 60-12-8	COD	Non-applicable	Period	14 days
EC: 200-456-2	BOD5/COD	Non-applicable	% Biodegradable	87 %



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation





SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degra	adability	Biodegradability	
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	Non-applicable	% Biodegradable	90 %
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 63500-71-0	COD	Non-applicable	Period	28 days
EC: 405-040-6	BOD5/COD	Non-applicable	% Biodegradable	10 %
Benzyl salicylate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 118-58-1	COD	Non-applicable	Period	28 days
EC: 204-262-9	BOD5/COD	Non-applicable	% Biodegradable	93 %
Geraniol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 106-24-1	COD	Non-applicable	Period	21 days
EC: 203-377-1	BOD5/COD	Non-applicable	% Biodegradable	70 %
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	BOD5	Non-applicable	Concentration	4 mg/L
CAS: 3407-42-9	COD	Non-applicable	Period	28 days
EC: 222-294-1	BOD5/COD	Non-applicable	% Biodegradable	13,81 %
Benzyl acetate	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 140-11-4	COD	Non-applicable	Period	28 days
EC: 205-399-7	BOD5/COD	Non-applicable	% Biodegradable	100 %
Nerol	BOD5	Non-applicable	Concentration	2 mg/L
CAS: 106-25-2	COD	Non-applicable	Period	28 days
EC: 203-378-7	BOD5/COD	Non-applicable	% Biodegradable	90 %
Coumarin	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 91-64-5	COD	Non-applicable	Period	28 days
EC: 202-086-7	BOD5/COD	Non-applicable	% Biodegradable	100 %
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %

12.3 Bioaccumulative potential:

Printing: 06/07/2022

Identification	Bioaccumulation potential		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584	
CAS: 1222-05-5	Pow Log	5.9	
EC: 214-946-9	Potential	Very High	

- CONTINUED ON NEXT PAGE -

Date of compilation: 06/07/2022



Safety data sheet
This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



Identification	Bi	Bioaccumulation potential	
2-phenylethanol	BCF	6	
CAS: 60-12-8	Pow Log	1.36	
EC: 200-456-2	Potential	Low	
Linalool	BCF		
CAS: 78-70-6	Pow Log	2.97	
EC: 201-134-4	Potential		
Benzyl salicylate	BCF	311	
CAS: 118-58-1	Pow Log	4	
EC: 204-262-9	Potential	High	
Geraniol	BCF	110	
CAS: 106-24-1	Pow Log	3.56	
EC: 203-377-1	Potential	High	
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	BCF	1985	
CAS: 3407-42-9	Pow Log		
EC: 222-294-1	Potential	Very High	
Benzyl acetate	BCF	8	
CAS: 140-11-4	Pow Log	1.96	
EC: 205-399-7	Potential	Low	
Nerol	BCF	44	
CAS: 106-25-2	Pow Log	2.76	
EC: 203-378-7	Potential	Moderate	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	BCF		
CAS: 1506-02-1	Pow Log	5.7	
EC: 216-133-4	Potential		
musk ketone	BCF	1380	
CAS: 81-14-1	Pow Log	4.3	
EC: 201-328-9	Potential	Very High	
Hexyl cinnam-aldehyde	BCF	17	
CAS: 101-86-0	Pow Log		
EC: 202-983-3	Potential	Low	
Linalyl acetate	BCF	174	
CAS: 115-95-7	Pow Log	3.9	
EC: 204-116-4	Potential	High	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility	
2-phenylethanol	Koc	Non-applicable	Henry	Non-applicable
CAS: 60-12-8	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 200-456-2	Surface tension	3,807E-2 N/m (25 °C)	Moist soil	Non-applicable
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Koc	42	Henry	1,71E-3 Pa·m³/mol
CAS: 63500-71-0	Conclusion	Very High	Dry soil	No
EC: 405-040-6	Surface tension	Non-applicable	Moist soil	No
Benzyl salicylate	Koc	5600	Henry	Non-applicable
CAS: 118-58-1	Conclusion	Immobile	Dry soil	Non-applicable
EC: 204-262-9	Surface tension	Non-applicable	Moist soil	Non-applicable
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Koc	209	Henry	Non-applicable
CAS: 3407-42-9	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 222-294-1	Surface tension	Non-applicable	Moist soil	Non-applicable
Benzyl acetate	Koc	Non-applicable	Henry	Non-applicable
CAS: 140-11-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 205-399-7	Surface tension	3,558E-2 N/m (25 °C)	Moist soil	Non-applicable
Nerol	Koc	94	Henry	Non-applicable
CAS: 106-25-2	Conclusion	High	Dry soil	Non-applicable
EC: 203-378-7	Surface tension	Non-applicable	Moist soil	Non-applicable
musk ketone	Koc	8700	Henry	1,925E-4 Pa·m³/mol
CAS: 81-14-1	Conclusion	Immobile	Dry soil	Non-applicable
EC: 201-328-9	Surface tension	Non-applicable	Moist soil	No
Linalyl acetate	Koc	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes
Benzyl benzoate	Koc	Non-applicable	Henry	Non-applicable
CAS: 120-51-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-402-9	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP7 Carcinogenic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Version: 1 **Page 18/21**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

Baby Powder Candle



SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



14.1 UN number or ID number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. UN proper shipping name: 14.2 (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

Transport hazard class(es): 9 Labels:

144 Ш Packing group: 14.5 **Environmental hazards:** Yes

Special precautions for user

Special regulations: 274, 335, 375, 601

Tunnel restriction code:

Physico-Chemical properties: see section 9

Limited quantities: 5 I

Maritime transport in bulk 147 according to IMO instruments:

Non-applicable

Transport of dangerous goods by sea:

14.5

With regard to IMDG 40-20:

UN2810 14.1 UN number or ID number:

TOXIC LIQUID, ORGANIC, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-UN proper shipping name:

hexamethylindeno[5,6-c]pyran)

14.3 Transport hazard class(es):

Labels: 6.1 Packing group: Ш

Special precautions for user

Marine pollutant:

Special regulations: 274, 223 EmS Codes: F-A, S-A

Physico-Chemical properties: see section 9

Yes

Limited quantities:

Segregation group: Non-applicable Maritime transport in bulk 14.7 Non-applicable

according to IMO instruments:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:



14.1 UN number or ID number: UN2810

TOXIC LIQUID, ORGANIC, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-14.2 UN proper shipping name:

hexamethylindeno[5,6-c]pyran)

14.3 Transport hazard class(es): 6.1

14.4 Packing group: Ш 14.5 **Environmental hazards:** Yes

Special precautions for user

Physico-Chemical properties: see section 9 Maritime transport in bulk Non-applicable according to IMO instruments:

SECTION 15: REGULATORY INFORMATION

14.7

Safety, health and environmental regulations/legislation specific for the substance or mixture: 15.1

- CONTINUED ON NEXT PAGE -

Printing: 06/07/2022 Date of compilation: 06/07/2022 Page 19/21 Version: 1



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 15: REGULATORY INFORMATION (continued)

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Geraniol (Product-type 18, 19)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS	100	200

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Carc. 2: H351 - Suspected of causing cancer.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Frit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Baby Powder Candle



SECTION 16: OTHER INFORMATION (continued)

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

Other information:

Safety Data Sheet author's

Name İrem BEKTAŞ KART
Certificate number KDU-A-0-0045
Certificate valid until 30/04/2024
Centent information irom@hakkdon

Contact information irem@bekkdanismanlik.com

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -